

A Mathematical Model To Predict Stock Market

Dr Rakesh Yadav

Department of Mathematics
School of Chemical Engineering and Physical Sciences
Lovely Professional University, Jalandhar Punjab
Email: rakesh.21798@lpu.co.in

Abstract : In this Paper a regression models have been frequently utilized to predict the asset based values. The related models based on a regression model has been utilized to predict the value of the S&P CNX 500 based on economic predictors which were selected through a process of general subjective knowledge as a optimum model. In this paper the method of statistical learning is utilized to instead decide what predictors are to be used for the model. We also use a well-known market hypothesis “The 5 year changing average death cross” is mathematical validation model, and a scheme to avoid critical time periods to particular values of the regression predictors is outlined.

I. INTRODUCTION : During the time period of the stock market crash of 2015, it was observed that the commonly used stock market prediction models, such as the famous Black Scholes Stochastic Partial Differential Equation [1]

$$\frac{\partial x}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 x}{\partial S^2} + rS \frac{\partial x}{\partial S} - rx = 0 \quad (1)$$

demonstrated limitation in their ability to predict during rapidly changing times of volatility [2-3]. As it is well known, the solution of the Black Scholes will accurately predict the fair price of an option from which future stock values can be extracted. However, during times of rapidly changing volatility the solution becomes somewhat unstable and most definitely inaccurate to predict the true real world selling value for the fair price of the option. A major issue is with actually understanding what real world volatility measures can be utilized to satisfy what it was intended to be in the original work [1] of Fisher Black & Morton Scholes. It is understood that they were intending σ to model something equivalent to the variance within a probability distribution, but it is not so obvious as how to obtain such a value from a real world stock or market index. In recent times many people have utilized the so called “classical definition of volatility” for σ . Furthermore, in more modern times many people have utilized the so called “implied definition of volatility” for σ , and of course research continues presently to alternate approaches of volatility as it appears that neither of those methods are truly working. In recent papers [4-5], a method was informally proposed to define volatility as a measure of how far from the linear regression model the stock value currently is; hence, defining σ to measure how far the “market” is actually off from the “economy.” In the present study, we expand this research and also improve the core model utilized by introducing a statistical learning technique. In theory, this mathematical logic could be applied to identify market bottom turning points for general stock market indices, such as the S&P CNX 500.

2. INITIAL STATISTICAL REGRESSION MODEL

Various economic indicators allow predictions of the future performance of an economy to be drawn.

In a prior study [4] a number of predictor variables (AKA major market “drivers” or “indicators”) were inputted into a regression analysis. The variables were initially selected by a subjective process - relying on expertise and common sense along with some existing [6] real world modelling - as to what factors are commonly thought of to drive the market. Then after routine remodelling and variable removal, by analysing VIF values and predictor variable’s test stat values, three major indicators were

found to be the core model. This data was utilized to build a multiple variable linear regression model, namely the predictor variables utilized were the unemployment rate (UI), the gross domestic product (GDP), and the monetary supply (M1) all measured monthly. The model was found to work quite well with a coefficient of determination well above 0.9. With publically available data, which is available upon request, a MLR model was constructed from January 1992 to July 2015 of the form

$$y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_3 \quad (2)$$

	Coefficients	Standard Error	t Stat
Intercept	864.0535	6.559779	143.809
GDP	362.1807	28.26178	11.77003
MS	181.392	27.43034	6.327952
UI	-174.765	6.021211	-22.6482
ANOVA			
	df	MS	F
Regression	4	41299536	2253.34
Residual	396	17675.46	
Total	400		

Fig. 1 The data analysis of the optimal 3 variable model.

It was very surprising to the authors, and many colleagues, that the so called Fed Funds Interest Rate was not being included in the model. Thus, in our current study the data analysis was rerun on a subjective process to simply add the variable of Fed Funds Interest Rate (FFR) back in as a predictor. After doing so, the following was obtained

	Coefficients	Standard Error	t Stat
Intercept	965.0635		144.8561
GDP	349.002		10.77223
FFR	-12.1984		-0.84265
MS	186.5665		6.480629
UI	-177.406		-21.5083
ANOVA			
	df	MS	F
Regression	4	31127812	1748.904
Residual	396	1779847	
Total	400		

Fig 2 The data analysis of the 4 variable model

It is observed that both this new model is less significant (F. Stat of 1748 < 2333), and the actual variable of FFR is not significant itself in the model (T. Stat of -0.84 < T α). Now, if one choses to take a statistically proper approach, similar to a backwards stepwise regression modelling procedure, they would remove the FFR variable due to the fact that it does not have a significant test statistic. Thus, a proper approach would be to revert back to the three variable model

$$Y_i = 965.0635 + 362.1807Z_1 + 183.392Z_3 - 173.762Z_4 \quad (3)$$

as previously obtained in Figure 1. Furthermore, not only have we now found a statistical optimal model which, as one can see above has a very solid F statistic along with R^2 value of 0.95, but these

results are also quite interesting as they do show what really drives the market is truly the large economic indicators: the amount the India produces, the amount of money flowing in the economy and the rate of people unemployed, but the “common senses” expected predictor of Fed Funds Rate is not included. The point noted here is that the results should be the truth what the data tells us, not what we subjectively expect!

3. STATISTICAL LEARNING REGRESSION MODEL

For a more modern approach, with the mass availability of big data, to create a model many additional

predictors could be considered in order to expand our model. Thus, the following scheme is considered which is preferred for two main reasons: Firstly, and as outlined in the results of the prior section in regards to the subjectiveness of Fed Funds Rate, it is essential to let the machine along with the data tell us the results as they will be unbiased unlike our subjectivity. Secondly, the data may change with time and in this modern age of technology it is a routine exercise to write a python code to constantly be updating our data monthly pulling from websites API's or other methods, hence, both the data and the model could be updating in real time. For example, this can be seen in a quick illustration. If we compare the model outlined in the last section, which had data [4] from only January 1992 upto July 2015, to an updated rerun of that same model with the most currently available data.. This exercise yielded the results

	Coefficients	Standard Error	t Stat
Intercept	965.7634	7.185126	135.8032
GDP	442.7751	22.78631	19.43163
MS	124.956	21.70633	5.756661
UI	-186.744	7.053451	-26.4755
ANOVA			
	df	MS	F
Regression	3	63306823	2943.593
Residual	421	21506.65	
Total	424		

Fig 3 The data analysis of the updated prior 3 variable model.

As these results clearly show this modelling is a very dynamic situation; for example while the structure of MS and UI within the model did not significantly change, the GDP did. As observed in the old “up to 2015” model the GDP had a solid coefficient, TS=12, with β coefficient of 362. The fact that it was the most deterministic predictor variable in the model did not change in the new “up to 2020” model; however, it did both gain a stronger coefficient, TS = 19, and larger β coefficient of 442. At this point, one may desire to create some sort of time dependent, perhaps a time series, model but for the nature of our research it is desired to keep the logic of a multiple regression model. A desired method would be to utilize an API to pull the most current data monthly (or perhaps daily, even hourly, if studying individual stocks) and utilizing data over a shorter time frame, perhaps the last few years as opposed to several decades as in our prior work. Then one could allow the computer to define a statistical learning model which is constantly updating itself as time moves on. Hence, creating a statistical learning model that can change the regression equation, or even possibly what

actual predictors variables are utilized, as time moves forward while keeping the mathematical nature of a routine regression model as desired.

Now, to develop this scheme we will assume the initial data set is kept with predictors x_1, x_2 and x_3 of our current working model but many additional data sets are added into the predictor data matrix that “may” correlate and/or predict the value of the S&P CNX 500 to create a full data vector of $X = [x_1, x_2, \dots, x_n]$. To begin we define the null model S_0 , Which contains the intercepts $y = \beta_0$. We then apply a machine learning process to seek the most mathematical pure model with the optimal set of predictor variables included. Namely, we will construct the first level set of models as $\{S_1\}$ the set of n models where each individual model is a simple linear regression model of the form $Y = \beta_0 + \beta_1 x_1$.

This single variable model is computed n times separately (i.e. x_1 here is not really our first predictor, rather just a default label used in standard notation). Each model individually takes from the predictor data matrix one column predictor variable, running through 1 to n . Then, for each model the R^2 along with the F Statistic is recorded. Now, at this stage, depending on the number of possible predictor variables available, one may only want to keep predictor variables that are showing some significance (a common cut off is to keep a predictor variable if its $R^2 > 0.6$) to be used for the next level set of models as $\{S_{12}\}$ as the set of $n*(n-1)$ models were each individual model is a simple linear regression model of the form

$$Y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 \quad (4)$$

where the model is computed $n*(n-1)$ times separately. Each model individually takes into the predictor data matrix only two predictor variable, firstly running through 1 to n through the variable used in S_1 , then removing that column from the matrix. Then adding the second variable running through 1 to $n-1$ through the variables remaining in the reduced matrix, and this is done for all possible combinations of the two variables. Again for each model the R^2 along with F statistic is recorded. We then construct the third level set of models $\{S_{123}\}$ as the set of $n*(n-1)*(n-2)$ models were each individual model is a simple linear regression model of the form

$$Y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_3 \quad (5)$$

which yielded the results

	Coefficients	Standard Error	t Stat
Intercept	965.0635		144.8561
GDP	349.002		10.77223
FFR	-12.1984		-0.84265
MS	186.5665		6.480629
UI	-177.406		-21.5083
ANOVA			
	df	MS	F
Regression	4	31127812	1748.904
Residual	396	1779847	
Total	400		

where the model is computed $n * (n - 1) * (n - 2)$ times separately following the same logical outline as previously outlined but now for three predictors. And, we then continue this process until the nth level set of models is obtained as

$$Y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_3 + \dots + \beta_n x_n \quad (6)$$

Now, for each of these models the R_2 value along with the F statistic has been recorded, and we desire to find the best model that is not only mathematically sound (R_2), but is also strongly deterministic of our predicted data (P value or F Stat). After all of the models are computed (in theory this could be up to $2n$ models, but it is commonly significantly less if some predictor variables are discarded after the first level set of models) the function

$$L = 3000 R^2 + FS \quad (7)$$

is computed for each model, where the best model will have the highest value of this L function. In purely mathematical statistical learning model theory at a step like this most researchers would suggest to look at quantities such as adjusted R_2 and/or the Akaike Information Criteria etc, and while those measurements are very powerful when looking at a pure mathematical error analysis in this research we want to balance that along with the accuracy described in the F Statistic of the regression model; hence, we use the unique L function method created above. Further, this function can be thought of similar to a likelihood function in probability theory, and while in this case the value of 3,000 was chosen by subjective observation (i.e. from looking at experimental results F.S values, and if one is applying this logic to a different problem, say for example an individual stock or sector, they may need to adjust that 3,000 value accordingly). Furthermore, it could be possible to generalize this method to more of a multivariable optimization problem in the form of L being a constant times R_2 then added to FS. However, for our immediate purposes, and from the confidence of prior research results, the value of 3,000 will suffice. This method now outlines a model that would “learn,” in real time, which predictor variable’s data is best suited to predict the market with the data given at that time. Also, the model with the highest L will tell us which predictor variables to use. In a sense, this is a generalization of the method we outlined in the prior section where the predictor variables which survived are producer price index (PPI), gross domestic product (GDP), and money supply (M) for our current time frame of data. Also subjective variables that are not truly deterministic will not survive. Applying this method to that prior data verifies the result.

4. APPLICATIONS

The results of our statistical learning model are very far ranging, and many quite practical results, such as indices or individual stocks. While we will not cover a large amount of applications here, we will do so by quickly addressing two extremely useful results. Firstly, we will address and expand upon the idea previously mentioned [4-5] to show how this model can be used to define market volatility. Secondly, we will show a mathematical validation of the famous hypothesis about the market “death cross” when moving averages intersect, and show how results from this statistical learning regression model can be utilized to predict such times. To being, we will revisit some data from the time period around the infamous 2015 stock market crash, namely the VIX values along with the overall stock market (S&PCNX 500) values. As we can see in this Problem related data which represents the opening monthly values of the SP CNX 500 index along with the VIX values, during various months of the infamous 2015 year, the implied volatility (VIX) does not foresee the extreme market crash coming. As if the VIX was truly defining market volatility the values early in the year,

or at least mid-year, would have been spiking rapidly. However, while the VIX did oscillate in the range of high teens to twenties most of the year, it actually did not grow to value above thirty until coming months (it is worthy to note here, for the pure mathematical reader, that generally speaking a value in the tens or lower in the VIX is consider calm, while values of thirty or higher are considered extremely volatile). Now, the point here is that the VIX index is not a true measure of volatility as Fisher Black and Martin Scholes were intending σ to model, rather it is a responsive measure as to yesterday's market. And, likewise are the actual implied volatility values computed from S&P CNX 500 options real time prices.

which represents the opening monthly values of the stock exchange index along with the VIX values, during various months of the infamous 2015 year, the implied volatility (VIX) does not foresee the extreme market crash coming. As if the VIX was truly defining market volatility the values early in the year, or at least mid-year, would have been spiking rapidly. However, while the VIX did oscillate in the range of high teens to twenties most of the year, it actually did not grow to value above thirty in coming few months (it is worthy to note here, for the pure mathematical reader, that generally speaking a value in the tens or lower in the VIX is consider calm, while values of thirty or higher are considered extremely volatile).

Now, the point here is that the VIX index is not a true measure of volatility as Fisher Black and Martin Scholes were intending σ to model, rather it is a responsive measure as to yesterday's market. And, likewise are the actual implied volatility values computed from S&P CNX 500 options real time prices.

In order to create a meaningful measure of volatility the following scheme can be defined. This method

can be computed for various maturity times of options, but for simplification we focus on options with T being fixed as one year. Now, for a stock with initial value x_0 , the fair price of the option for this stock can be computed by the Black Sholes formula

$$x_0 N \left[\frac{\log \left(\frac{x_0}{k} \right) + \left(r + \frac{1}{2} \sigma^2 \right) T}{\sigma \sqrt{T}} \right] - k e^{-rT} N \left[\frac{\log \left(\frac{x_0}{k} \right) + \left(r - \frac{1}{2} \sigma^2 \right) T}{\sigma \sqrt{T}} \right]$$

which is the well-known solution of the Black Scholes Stochastic Partial Differential Equation

$$\frac{\partial x}{\partial t} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 x}{\partial S^2} + rS \frac{\partial x}{\partial S} - rx = 0$$

Here, the commonly utilized notation is k for strike price, r for safe interest rate, σ for volatility, along with N for the cumulative normal. Now, the question often comes is what exactly is the value "fair price of an option," and what can it tell us? In short, the fair price of our T = 1 option would just be how much the stock should grow in one year, thus if the initial value of the S&P CNX 500 is given as x_0 then in one year the value of the S&P CNX 500 value should be $X_0 + BS$, where BS is referring to the output of the Black Sholes formula above. The issue comes as to what value of σ should be inputted into this formula and results will vary greatly depending on it. The data set below represents the difference between the predicted value " $x_0 + BS$ " of the S&P value 12 moths forward, and the true data value "SPt+12" of the S&P value 12 months forward, for different σ values.

It has been observed that the results vary significantly between the middle column and right column when the volatility is increased. It is clear that as the volatility is increased the method does improve

(for example, in January the reduction in error is from 510 below to 315 below as volatility increased), and it is reasonable to believe that if σ is allowed to continue to increase a value will be obtained where this error becomes 0. Further, if along term analysis of this method was computed it would be feasible to define a true value of volatility for past markets.

And, if one had a statistical learning regression model, running on data of that time period, then they could compare how far of the market was to where the regression model was expecting the market to be. If this was recorded, in a percentage deviation, this newly complied values of σ they could then define a forward predicting measure of volatility. Thus, one can say that if $Y -$ is in a certain range then the value of σ is a certain value, and then that value of volatility could be inputted into the Black Sholes model. Doing so would lead to extremely high values of volatility prior to the crash of 2015, and when the Black Sholes model is applied with such values the results do accurately predict a forthcoming crash. Furthermore, similar results are validated on a routine analysis of data a few months prior to other large market moves.

5. CONCLUSIONS

we will end by mathematically validating a well know market hypothesis. Then we will show how our newly obtained model can be utilized to predict such a market moment forthcoming, hence concluding with a very practically “real world use” of our research. It has been heavily hypothesized that when a stock’s short term changing average (often monthly or 50 days) falls below its longer term moving average (often yearly or longer) this will lead to a market correction, which we defined here as a 20% or more decline.

We analyse through the publically available data of Share market, taken weekly for the last few decades. This code was designed to find any values where the current value was 20% less than the values of the S&P CNX 500 over the last year. The values located were noted and compared to a plot of the monthly and 5-year changing average, and then separately to a plot of the raw stock values. It was verified that these values output of the above data did match up with the crossing points, and at those points corrections were uniquely observed shortly forward in time (exact timing did vary, as expected).

The statistical learning regression model can be applied to predict these market critical values in terms of the predictor variables, and this information should be very useful in predictive applications as often changes to those predictors can be seen earlier. To illustrate this the final values of each variable that we have, May 2019, were inputted into the equation to then predict a drop of 20% from our predicted value. Namely, the normalized initial CPI, GDP, UI, along with the stock value of India. we will use for this exercise are 1.9, 2.299, 1.7145, and 2952.3 respectfully. At that point in time, the 20% drop of the Stock market value can easily be found 2361.864. Now, it an algebraic exercise to solve for each of the predictors and then put in the values of the other variables to find the “key values” of each of the predictor variables. For example, if one solve for CPI it yields

$$[CPI] = \frac{(8 * S\&P\ 500) + b_2 * [GDP] - 164 + b_3 * [UI] + 973}{[b_1]}$$

For the some data these results were individually found for CPI, GDP, and UI to be -2.75, -1.95, an -0.21 respectively. An improvement on this method could be to correct the other input values, perhaps by individual univariate regressions, as it is unlikely that one of these predictors would change significantly without the others doing so to. Regardless of those details these results are very practical real world measures to monitor and an observation of any of these predictors reaching these critical values could be an indicator of a forthcoming correction, hence a red light flashing to move to safety.

REFERENCES

- [1] F.Black: “The Pricing of Options and Corporate Liabilities,” Journal of Political Economy 81 (3), 1973.
- [2] David Colander :Hans and Haas, Armin and Goldberg, Michael D. and Juselius, Katarina and Kirman, Alan and Lux, Thomas and Sloth, Birgitte, “The Financial Crisis and the Systemic Failure of Academic Economics.” Univ. of Copenhagen Dept. of Economics Discussion Paper No. 09-03, 2009 .
- [3] T.Moyaert, T. &M. Petitjean, : “The performance of popular stochastic volatility option pricing models during the subprime crisis.” Applied Financial Economics. 21(14), 2011.
- [5] T. Smith et al, “Using a Linear Regression Model to Calculate Stock Market Volatility” International Journal of Pure and Applied Mathematics, 57(4), 2018.
- [6] Sam Park: “Reducing the Noise in Forecasting the SP 500,” Wentworth, 2005.